



Extralist

Power supply options:

- Petrol Honda IGX390 (standard)
- Diesel Kubota D902 (standard for exact modells)
- Diesel Yanmar L100V 6,8kW (+27 kg)
- Diesel Kubota Z482 (+27 kg)
- Diesel Kubota Z602 (+41 kg)
- Diesel Yanmar LN10 7,4kW (+27 kg)
- Full lithium power batteries (160A, 48V) (+160 kg)
- Hybrid system (Honda petrol engine + 160A lithium batteries) (+170 kg)
- Hybrid system (Kubota engine + 160A lithium batteries) (+269 kg)

Additional power supply options:

- Double power supply 110V/ 230V for the electric motor (+60 kg)
- 230 V auxiliary electric motor, with battery charger (+40 kg)
- 120 V auxiliary electric motor, with battery charger (+40 kg)
- 110 V auxiliary electric motor, with battery charger (+40 kg)
- 380 V auxiliary electric motor, with battery charger (only for S32 model) (+75 kg)

Undercarriage options:

- Variable undercarriage with adjustable tracks width (+66 kg)
- Grey non-marking rubber tracks
- 2 speed driving pace





Basket options:

- One-man aluminium basket 80*70*110 cm (standard)
- Two-man aluminium basket 120*70*110 cm
- Two-man aluminium basket 210*70*110 cm (only for S32 model)
- Two-man fiberglass basket 120*60*110 cm (+30 kg)
- Two-man fiberglass basket 140*60*110 cm (+35 kg)
- One-man fiberglass basket 80*60*110 cm kosár (+20 kg)
- Hydraulic basket rotation (+/- 90°) (+15 kg)

Painting options:

- CMC red painting (standard)
- Personalised painting colour

Safety options:

- Removable work light
- Travel buzzer
- Flashing beacon
- 12 V emergency electro pump
- Anti-entrapment device

More options:

- Transport fastening strap (complete kit)
- No. 4 slip-on load distribution plates 56x24 cm
- Biodegradable hydraulic oil
- "Dead man" pedal (+2 kg)
- Peak System (computer adapter for remote connection)
- Remote connection with sim card and GPS locator
- Radio remote control for track control and automatic self-levelling outriggers
- Hydraulic oil cooler





- Hydraulic winch
- Lifting hook
- Additional 24 months warranty (except the electric and electronic parts)
- Extendable outriggers for self loading, replacing the standard ones (only for S32 model)

Some options are only available for specified units. Please ask for informations.

